


# SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:			
PART NO: LCB1608-221Y-N				DWG.NO: TE9803221			
CUSTOMER PART NO:				CUST.DWG.NO:			
(1) DIMENSIONS (UNIT: mm)  				A	$1.6 \pm 0.2$	m/m	
				B	$0.8 \pm 0.2$	m/m	
				C	$0.8 \pm 0.2$	m/m	
				D	$0.3 \pm 0.2$	m/m	
				E		m/m	
				F		m/m	
				G		m/m	
				H		m/m	
				I		m/m	
				J		m/m	
(2) ELECTRICAL REQUIREMENTS							
Z ( $\Omega$ )	$220 \pm 25\%$	TEST FREQ	100MHz/100mV				
RDC ( $\Omega$ )	0.15 (MAX)	TEST FREQ					
IDC (mA)	2000 (MAX)	TEST FREQ					
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY <div style="text-align: right;">吳載敏</div>			
				CHECKED BY <div style="text-align: right;">張明德</div>			
				DRAWN BY <div style="text-align: right;">黃慧診</div>			

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB:www.coremaster.com.tw

# TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-221Y-N				DWG.NO: TE9803221					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz /100mV								
SPEC	200 ± 25%	0.15 (MAX)	2000 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	191.8	0.091	OK	1.61	0.81	0.82	0.31		
2	203.6	0.094	OK	1.60	0.81	0.82	0.31		
3	208.7	0.088	OK	1.61	0.82	0.83	0.33		
4	216.0	0.087	OK	1.62	0.80	0.83	0.32		
5	240.0	0.094	OK	1.60	0.81	0.80	0.32		
6	210.1	0.090	OK	1.64	0.81	0.82	0.30		
7	218.9	0.088	OK	1.62	0.83	0.84	0.30		
8	212.8	0.091	OK	1.63	0.83	0.81	0.33		
9	195.3	0.092	OK	1.63	0.80	0.81	0.34		
10	202.0	0.090	OK	1.61	0.82	0.84	0.30		
X	209.9	0.091		1.62	0.81	0.82	0.32		
R	48.2	0.007		0.04	0.03	0.04	0.04		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						黃慧診			

**CORE MASTER ENTERPRISE CO., LTD.**

TEL:886-2-8919-1288    FAX:886-2-8919-1298    WEB:www.coremaster.com.tw

# LCB1608-221Y-N

