


SPECIFICATION FOR APPROVAL

CUSTOMER:				DATE:					
PART NO: LCB1608-331Y-N				DWG.NO: TE9808302					
CUSTOMER PART NO:				CUST.DWG.NO:					
(1) DIMENSIONS (UNIT: mm) 				A	1.6 ± 0.2	m/m			
				B	0.8 ± 0.2	m/m			
				C	0.8 ± 0.2	m/m			
				D	0.3 ± 0.2	m/m			
				E		m/m			
				F		m/m			
				G		m/m			
				H		m/m			
				I		m/m			
				J		m/m			
(2) ELECTRICAL REQUIREMENTS									
Z (Ω)	$330 \pm 25\%$	TEST FREQ	100MHz/100mV						
RDC (Ω)	0.15 (MAX)	TEST FREQ							
IDC (mA)	2000 (MAX)	TEST FREQ							
TEST INSTRUMENTS HP4338A MILLIOHMMETER HP4291B RF IMPEDANCE/MATERIAL ANALYZER				APPROVED BY					
				吳載敏					
				CHECKED BY					
				張明德					
				DRAWN BY					
				Amy Lu					

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

TEST DATA

CUSTOMER :				DATE :					
PART NO: LCB1608-331Y-N				DWG.NO: TE9808302					
CUSTOMER PART NO :				CUST.DWG.NO :					
ITEM	Z (Ω)	RDC (Ω)	IDC (mA)	DIMENSION (UNIT : mm)					
				A	B	C	D		
FREQ	100MHz /100mV								
SPEC	330 ± 25%	0.15 (MAX)	2000 (MAX)	1.6 ± 0.2	0.8 ± 0.2	0.8 ± 0.2	0.3 ± 0.2		
1	288.0	0.110	OK	1.60	0.81	0.80	0.30		
2	292.7	0.107	OK	1.60	0.82	0.81	0.30		
3	287.4	0.099	OK	1.61	0.80	0.81	0.32		
4	293.4	0.104	OK	1.61	0.81	0.80	0.31		
5	289.8	0.106	OK	1.62	0.82	0.81	0.28		
6	294.3	0.103	OK	1.62	0.83	0.82	0.31		
7	281.1	0.108	OK	1.63	0.81	0.83	0.33		
8	284.6	0.102	OK	1.63	0.81	0.80	0.32		
9	288.6	0.106	OK	1.63	0.83	0.83	0.33		
10	288.7	0.105	OK	1.63	0.82	0.81	0.30		
X	288.9	0.11		1.62	0.82	0.81	0.31		
R	13.2	0.01		0.03	0.03	0.03	0.05		
						APPROVED BY			
						吳載敏			
						CHECKED BY			
						張明德			
						DRAWN BY			
						Amy Lu			

CORE MASTER ENTERPRISE CO., LTD.

TEL:886-2-8919-1288 FAX:886-2-8919-1298 WEB:www.coremaster.com.tw

LCB1608-331Y-N

